



## WAVE-15A

Order No.: 0259012

### PRODUCTINFOS

#### Pure Entertainment!

The PA speaker systems of the WAVE series impress with a great sound and an attractive price. They are suitable for smaller to medium-sized function rooms and are the perfect starting equipment for entry-level DJs. The plastic cabinets of contemporary design are also lightweight and easy to use. Thus, they are ideally suited for mobile applications.

#### Active full range speaker system, 400 W

- Compact 15/2 full range bass-reflex system with plastic cabinet
- 38 cm (15") bass speaker and 25 mm (1") horn tweeter with 34 mm (1 3/8") voice coil
- Integrated MP3 player with USB/SD slot
- Integrated 5-band equalizer for sound adjustment
- Bluetooth receiver with TWS (True Wireless Stereo)
- Infrared remote control
- Balanced mic input via XLR jack or 6.3 mm jack
- Line input via RCA jack or XLR jack
- 2-way tone control for treble and bass
- Mix out via XLR jack or 6.3 mm jack
- M8 threaded inserts for mounting support

- Stand sleeve

### Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG  
Zum Falsch 36  
28307 Bremen  
Germany  
info@monacor.com

### Safety and warning notices

The appliance is supplied with life-threatening mains voltage. Therefore, never tamper with it yourself and do not insert anything into the ventilation openings. There is a risk of electric shock.

Do not operate the appliance and disconnect the mains plug from the socket immediately if there is visible damage to the appliance or the mains cable, if a defect is suspected after a fall or similar, or if malfunctions occur. Always return the appliance to a specialist workshop for repair.

Only use the device indoors and protect it from dripping and splashing water, high humidity and heat (permissible operating temperature range 0 - 40 °C).

Never set the speaker volume very high. High volumes can damage your hearing in the long term!

Never pull the mains plug out of the socket by the cable, always grasp the plug.

If the appliance is to be taken out of service for good, hand it over to a local recycling centre for environmentally friendly disposal.

## TECHNICAL SPECIFICATIONS

### WAVE-15A

Active/passive	active
Transmission technology	wireless/cable
Total output power	400 W
Power rating (RMS)	250 W
Frequency range	50-20,000 Hz
Input signal	250 mV/7 k $\Omega$ (line, XLR, bal.), 150 mV/16 k $\Omega$ (line, RCA), 9.5 mV/0.8 k $\Omega$ (mic, XLR, bal.), 9.5 mV/0.8 k $\Omega$ (mic, 6.3 mm jack)
System	15/2 full range bass-reflex
Bass speaker	38 cm (15") bass speaker
Tweeter	25 mm (1") horn tweeter
Number of speakers	2
Speaker size	38 cm (15")

**WAVE-15A**

SPL	95 dB/W/m
Max. rated SPL	120 dB
Radiation angle/beam angle	H: 90°/V: 60°
Radiation angle, horizontal	90°
Radiation angle, vertical	60°
Housing material	plastic
Colour	black
Mounting device	M8 threaded inserts, stand sleeve
Admiss. ambient temp.	0-40 °C
Power supply	~ 230 V/50 Hz/410 VA
Dimensions	460 x 710 x 370 mm
Width	460 mm
Height	710 mm
Depth	380 mm
Weight	18.6 kg
Inputs	XLR or RCA L/R (line) XLR or 6.3 mm jack (mic)
Outputs	XLR, bal. (parallel line out)
Packaging dimensions (W x H x L)	0.51 x 0.75 x 0.43 m
Gross weight	20.24 kg
Net weight	18.59 kg

**WAVE-15A**

EAN code	4007754274004
Net weight	18.59 kg